

BILL OWENS  
Governor

LEROY J. WILLIAMS, JR.  
Acting Executive Director

MARYANN WHITESIDE  
Director



## DEPARTMENT OF LABOR AND EMPLOYMENT

DIVISION OF WORKERS' COMPENSATION  
MEDICAL POLICY UNIT  
TOWER 2, SUITE 610  
1515 ARAPAHOE ST.  
DENVER, CO 80202-2117  
Phone: (303) 318-8765  
Facsimile: (303) 318-8758  
<http://www.coworkforce.com/DWC/>

### Traumatic Brain Injury

### BIBLIOGRAPHY

Revised: April 5, 2005

#### ACUTE CARE

1. Bulger EM, Nathens AB et al., Management of severe head injury: Institutional variations in care and effect on outcome. *Crit Care Med.* 2002;30(6):1870-1876.
2. Clifton GL, Miller E, Chol S et al., Lack of Effect of Induction of Hypothermia After Acute Brain Injury. *NEJM.* 2001;344(8):556-63.
3. Clifton GL. Is keeping cool still hot? An update on hypothermia in brain injury. *Curr Opin Crit Care.* 2004. 10(2):116-9.
4. Czosnyka M, Pickard JD. Monitoring and interpretation of intracranial pressure. *J Neurol Neurosurg Psychiatry.*2004;75:813-821.
5. de Kruijk JR, Leffers P et al., Effectiveness of bed rest after mild traumatic brain injury: a randomized trial of no versus six days of bed rest. *J Neurol Neurosurg Psychiatry.* 2002;73:167-172.
6. Dunn LT. Raised Intracranial Pressure. *J Neurol Neurosurg Psychiatry.*2002;73:i23-i27.
7. Forsyth R, Baxter P, Elliott T. Routine Intracranial Pressure Monitoring in Acute Coma. *Cochrane Review.* 29 May 2001. Assessed April 10, 2003 <http://gateway1.ovid.com>
8. Gadkary CA. Alderson P. Therapeutic Hypothermia for Head Injury. 20 Sep. 1999 Cochrane Review. Assessed January 29, 2004.
9. Hypothermia for Traumatic Brain Injury – A Good Idea Proved Ineffective. *NEJM.* 2001;344(8):602-03.
10. McCrory P. New Treatments for Concussion: The Next Millennium Beckons. *Clin J Sport Med.*2001;11:190-193.
11. McGarry LJ, Thompson D et al., Outcomes and Costs of Acute Treatment of Traumatic Brain Injury. *Journal of Trauma.*2002;53:1152-1159.
12. McIntyre LA, Fergusson DA et al., Prolonged Therapeutic Hypothermia after Traumatic Brain Injury in Adults. *JAMA.*2003;289(22):2992-2999.
13. Marion DW, Penrod LE et al., Treatment of Traumatic Brain Injury with Moderate Hypothermia. *NEJM.*1997;336(8):540-546.
14. Metheny NA, Dahms TE et al., Efficacy of Dye-Stained Enteral Formula in Detecting Pulmonary Aspiration\* *CHEST.*2002;122(1):276-281.
15. Ratanalert S, Chompikul J et al., Talked and deteriorated head injury patients: how many poor outcomes can be avoided? *Journal of Clinical Neuroscience.*2002;9(6):640-643.
16. Reilly PL. Brain injury: the pathophysiology of the first hours. 'Talk and Die revisited'. *Journal of Clinical Neuroscience.* 2001;8(5):398-403.

17. Roberts I, Schierhout G, Anderson P. Absence of Evidence for the Effectiveness of Five Interventions Routinely Used in the Intensive Care Management of Severe Head Injury: A Systematic Review. *J Neurosurg Psychiatry*. 1998;65:729-33.
18. Roberts I, Schierhout G. Hyperventilation Therapy for Acute Traumatic Brain Injury, 18 Feb 2003. *Cochranne Review*. Assessed January 29, 2004. Abstract only.
19. Rudehill A, Bellander BM et al., Outcome of Traumatic Brain Injuries in 1,508 Patients: Impact of Prehospital Care. *Journal of Neurotrauma*. 2002;19(7):855-868.
20. Schierhout G, Roberts I. Hyperventilation Therapy for Acute Traumatic Brain Injury. 6 Sep 2000. *Cochrane Review*. Assessed April 9, 2003.
21. Schrot RJ et al., Mannitol in acute traumatic brain injury. *The Lancet*. 2002;359:1633-1634.
22. Servadei F, Teasdale G et al., Defining Acute Mild Head Injury in Adults: A proposal Based on Prognostic Factors, Diagnosis, and Management. *Journal of Neurotrauma*. 2001;18(7):657-664.
23. Stein DG. Brain damage, sex hormones and recovery: a new role for progesterone and estrogen? *Trends in Neurosciences*. 2001;23(7):386-391.
24. Thurman D, Guerrero J. Trends in Hospitalization Associated With Traumatic Brain Injury. *JAMA*. 1999;282(10):954-957.
25. Townsend WJ, Guy MJ et al., Head injury outcome prediction in the emergency department: a role for protein S-100B? *J Neurol Neurosurg Psychiatry*. 2002;73:542-546.

#### **COMPLEMENTARY ALTERNATIVE MEDICINE**

1. Green C, Martin C, Bassett A. A Systematic Review of Craniosacral Therapy: Biological Plausibility, Assessment, Reliability and Clinical Effectiveness. *Complementary Therapies in Medicine*. 1999;7:201-07.
2. Hartman S, Norton J. Interexaminer Reliability and Cranial Osteopathy. *Scientific Review of Alternative Medicine*. 2002;6(1):23-34
3. Rogers J, Witt P, Gross M et al., Simultaneous Palpation of the Craniosacral Rate at the Head and Feet: Intrarater and Interrater Reliability and Rate Comparisons. *Phys Ther*. 1998;78(11):1175-1185.

#### **DIAGNOSTIC PROCEDURES – EEG**

1. American Academy of Neurology and American Clinical Neurophysiology Society. Assessment of Digital EEG, Quantitative EEG, and EEG Brain Mapping. *Neurology*. 1997;49:277-92.
2. Annegers J, Hauser W et al., A Population-based Study of Seizure after Traumatic Brain Injuries. *NEJM*. 1998:20-24.
3. Coutin-Churchman P, Anez Y et al., Quantitative spectral analysis of EEG in psychiatry revisited: drawing signs out of numbers in a clinical setting. *Clinical Neurophysiology*. 2003:2294-2306.
4. Frieboes RM, Muller U et al., Nocturnal Hormone Secretion and the Sleep EEG in Patients Several Months after Traumatic Brain Injury. *Journal of Neuropsychiatry and Clinical Neurosciences*. 1999;11:354-360.

5. Hoffman DA, Lubar JF, Thatcher RW et al., Limitations of the American Academy of Neurology and American Clinical Neurophysiology Society Paper on QEEG. *J Neuropsychiatry Clin Neurosci.* 1999;11(3):401-407.
6. Thatcher RW, Biver CJ, North DM. Quantitative EEG and the Frye and Daubert Standards of Admissibility. *Clinical Electroencephalography.*2003;34(2):39-53.
7. Thatcher RW, North DM, Curtin RT et al., An EEG Severity Index of Traumatic Brain Injury. *Neuropsychiatry Clin Neurosci.* 2001;13(1):77-87.
8. Thatcher RW, Moore N, John ER et al., QEEG and Traumatic Brain Injury: Rebuttal of the American Academy of Neurology 1997 Report by the EEG and Clinical Neuroscience Society. *Clinical Electroencephalography.* 1999;39(3):94-98.
9. Thatcher RW, Biver C, McAlaster R et al., Biophysical Linkage between MRI and EEG Coherence in Closed Head Injury. *Neuroimage.*1998;8:307-326.
10. Thornton K. The electrophysiological effects of a brain injury on auditory memory functioning The QEEG correlates of impaired memory. *Arch of Clin Neuropsychology.* 2003;18:363-378.

#### **DIAGNOSTIC PROCEDURES – IMAGING**

1. Abdel-Dayem MH et al., SPECT Brain Perfusion Findings in Mild or Moderate Traumatic Brain Injury. *Alasbimn Journal.* 2000;2(6).
2. Abdel-Dayem H, Abu-Judeh H, Kumar M. SPECT Brain Perfusion Abnormalities in Mild or Moderate Traumatic Brain Injury. *Clinical Nuclear Medicine.* 1998;23(5):309-17.
3. ABU-Judeh H, Parker R, Singh M et al., SPECT Brain Perfusion Imaging in Mild Traumatic Brain Injury Without Loss of Consciousness and Normal Computed Tomography. *Nuclear Medicine Communications* 1999;20:505-10.
4. ACR Practice Guideline. ACR Practice Guideline for the Performance of Single-photon Emission Computed Tomography (SPECT) *Brain Perfusion Imaging.* 2002. *SPECT Brain Perfusion Imaging.* 487-491.
5. Aine C. A Conceptual Overview and Critique of Functional Neuroimaging Techniques in Humans: I MRI/fMRI and PET. *Critical Reviews in Neurobiology.* 1995;9(2-3):229-309.
6. Alavi A, Newberg A. Metabolic Consequences of Acute Brain Trauma: Is there a Role for PET? *J Nucl Med.*1996;37(7):1170-72.
7. American Academy of Neurology Assessment. Therapeutics and Technology Assessment Subcommittee. Assessment of Brain SPECT. *Neurology.*1996;46:278-85.
8. Audenaert K, Jansen H et al., Imaging of Mild Traumatic Brain Injury Using <sup>57</sup>Co and <sup>99m</sup>Tc HMPAO SPECT as compared to other diagnostic procedures. *Med Sci Monit.* 2003;9(1) MT112-117.
9. Brain Matters Inc. Denver, CO. TBI – Traumatic Brain Injury. <http://www.brainmattersinc.com/site.cfm//105,+TBI+-+Traumatic+Brain+Injury.htm> Assessed March 2, 2004.
10. Camargo EE. Brain SPECT in Neurology and Psychiatry. *J Nucl Med.* 2001;42:611-623.

11. Chen SHA, Kareken DA et al., A study of persistent post-concussion symptoms in mild head trauma using positron emission tomography. *J Neurol Neurosurg Psychiatry*. 2003;74:326-332.
12. Christodoulou C, DeLuca J et al., Functional magnetic resonance imaging of working memory impairment after traumatic brain injury. *J Neurol Neurosurg Psychiatry*. 2001;71:161-168.
13. Davalos D, Bennett T. A Review of the Use of Single-Photon Emission Computerized Tomography as a Diagnostic Tool in Mild Traumatic Brain Injury. *Applied Neuropsychology*. 2002;9(2):92-105.
14. Falimirski M, Gonzalez R et al., The Need for Head Tomography in Patients Sustaining Loss of Consciousness after Mild Head Injury. *Journal of Trauma*. 2003;55:1-6.
15. Franceschini MA, Boas DA. Noninvasive measurement of neuronal activity with near-infrared optical imaging. *NeuroImage*. 2004;21:372-386.
16. Friedman SD, Brooks WM et al., Quantitative proton MRS predicts outcome after traumatic brain injury. *Neurology*. 1999;52:1384.
17. Garnett MR, Corkill RG et al., Altered Cellular Metabolism Following Traumatic Brain Injury: A Magnetic Resonance Spectroscopy Study. *Journal of Neurotrauma*. 2001;18(3):231-240.
18. Garnett MR, Blamire AM, Corkill RG et al., Early Proton Magnetic Resonance Spectroscopy (MRS) in Normal Appearing Brain Correlates with Outcome in Patients Following Traumatic Brain Injury. *Brain*. 2000;123:2046-54.
19. Garnett MR, Blamire AM et al., Evidence for cellular damage in normal-appearing white matter correlates with injury severity in patients following traumatic brain injury severity in patients following traumatic brain injury. *Brain*. 2003;123:1403-1409.
20. Gilman S. Imaging the Brain First of Two Parts. *The New England Journal of Medicine*. 1998;338(2):812-820.
21. Gilman S. Imaging the Brain Second of Two Parts. *The New England Journal of Medicine*. 1998;338(13):889-896.
22. Hammoud DA, Wasserman BA. Diffuse axonal injuries; pathophysiology and imaging. 2002. *Neuroimag Clin N Am*. 12:205-216.
23. Hattori N, Sung-Cheng H, Hsiao-Ming W et al., Correlation of Regional Metabolic Rates of Glucose with Glasgow Coma Scale After Traumatic Brain Injury. *J Nucl Med*. 2003;44:1709-1716.
24. Haydel MJ, Preston CA et al., Indications for Computed Tomography in Patients with Minor Head Injury. *New England Journal of Medicine*. 2000;343(2):100-891.
25. Hiroshi I, Kawashima R, Awata S et al., Hypoperfusion in the Limbic System and Prefrontal Cortex in Depression: SPECT with Anatomic Standardization Technique. *J Nucl Med*. 1996;37:410-414.
26. Hofman PA, Stapert SZ, van Kroonenbirgh MJ et al., MR Imaging, Single-Photon Emission CT, and Neurocognitive Performance after Mild Traumatic Brain Injury. *Am J Neuroradiol*. 2001;22:441-49. Abstract only.
27. Hofman PA, Verhey FR et al., Brain lesions in patients visiting a memory clinic with postconcussional sequelae after mild to moderate brain injury. *J Neuropsychiatry Clin Neurosci*. 2002;14(2):176-84. Abstract only.

28. Ichise M, Chung D, Wang P et al., Technetium-99m-HMPAO SPECT, CT and MRI in the Evaluation of Patients with Chronic Traumatic Brain Injury: A Correlation with Neuropsychological Performance. *Journal of Nuclear Medicine*;1994;35(2):217-226.
29. Jacobs A, Put E, Ingels M et al., One-Year Follow-up of Technetium-99m-HMPAO SPECT in Mild Head Injury. *J Nucl Med*. 1996;37:1605-1609.
30. Johnston JM, Ptito A et al., New Frontiers in Diagnostic Imaging in Concussive Head Injury. *Clinical Journal of Sport Medicine*. 2001;11:166-175.
31. Juni JE, Waxman AD et al., Society of Nuclear Medicine Procedure Guideline for Brain Perfusion Single Photon Emission Computed Tomography (SPECT) Using Tc-99m Radiopharmaceuticals. *Brain Spect*. 1999;2:113-118.
32. Juni JE, Waxman AD et al., Procedure Guideline for Brain Perfusion SPECT Using Technitium-99m Radiopharmaceuticals. *J Nucl Med*. 1998; 39(5): 923-926.
33. Kelly DF, Martin NA et al., Cerebral blood flow as a predictor of outcome following traumatic brain injury. *J Neurosurg* 1997;86:633-641.
34. Kesler S, Adams H, Bigler E. SPECT, MR and quantitative MR imaging: Correlates with Neuropsychological and Psychological Outcome in TBI. *Brain Injury*. 2000;14(10);851-57.
35. Levine B, Cabeza R et al., Functional reorganization of memory after traumatic brain injury: a study with H<sub>2</sub><sup>15</sup>O positron emission tomography. *J Neurol Neurosurg Psychiatry*. 2002;73:173-181.
36. Lorberboym M, Gilad R, Gorin V et al., Late Whiplash Syndrome: Correlation of Brain SPECT with Neuropsychological Tests and P300 Event-Related Potential. *Journal of Trauma*. 2002;52(3):521-526.
37. Lorberboym M, Lampl Y, Gerzon I et al., Brain SPECT Evaluation of Amnesic ED Patients After Mild Head Trauma. *American Journal of Emergency Medicine*. 2002;20(4):310-13.
38. McAllister TW, Saykin AJ et al., Brain activation during working memory 1 month after mild traumatic brain injury. *Neurology*.1999;53:1300-1308.
39. McAllister TW, Sparling M et al., Differential Working Memory Load Effects after Mild Traumatic Brain Injury. *NeuroImage*.2001;14:1004-1012.
40. Matthews PM, Jezzard P. Functional magnetic resonance imaging. *J Neurol Neurosurg Psychiatry*.2004;75:6-12.
41. Mitchener A, Wyper D, Patterson J et al., SPECT, CT, and MRI in Head Injury: Acute Abnormalities Followed up at Six Months. *J Neurol Neurosurg Psychiatry*. 1997; 62:633-636.
42. Newberg AB, Alavi A. Neuroimaging in Patients with Head Injury. *Seminars in Nuclear Medicine*.2003;33(2):136-147.
43. Newberg AB, Alavi A. Normal Patterns and Variants in Single-Photon Emission Computed Tomography and Positron Emission Tomography Brain Imaging. *Seminars in Nuclear Medicine*. 2003;33(1):42-55.
28. Nosan DK, Benecke J et al., Current perspective on temporal bone trauma. *Otolaryngology Head and Neck Surgery*. 1997.117(1):67-71.
44. Radanov BP, Bicik I et al., Relation between neuropsychological and neuroimaging findings in patients with late whiplash syndrome. *J Neurol Neurosurg Psychiatry*. 1999;66:485-489.

45. Rees PM. Contemporary Issues in Mild Traumatic Brain Injury. *Arch Phys Med Rehabil.*2003;84:1885-94.
46. Scheid R, Preul C, Gruber O. Diffuse Axonal Injury Associated with Chronic Traumatic Brain Injury: Evidence from T2\*-weighted Gradient-echo Imaging at 3 T. *ANJR AM J Neurodiol.* 2003;24:1049-1056. June/July.
47. Temkin NR, Machamer JE et al., Correlates of Functional Status 3-5 Years after Traumatic Brain Injury with CT Abnormalities. *Journal of Neurotrauma.*2003;20(3):229-241.
48. Thatcher RW, Walker RA et al, EEG discriminant analyses of mild head trauma. *Electroencephalogr Clin Neurophysiol.* 1989 Aug; 73(2):94-106. Abstract only.
49. Umile EM, Plotkin RC, Sandel ME. Functional Assessment of Mild Traumatic Brain Injury using SPECT and Neuropsychological Testing. *Brain Injury.* 1998;12(7):577-594.
50. Umile EM, Andel E, Alavi A et al., Dynamic Imaging in Mild Traumatic Brain Injury (mTBI): Support for the Theory of Medial Temporal Vulnerability. *Arch Phys Med Rehabil.* 2002;83:1506-1513.
51. Van Heertum R, Drocea C et al., Single Photon Emission CT and Positron Emission Tomography in the Evaluation of Neurologic Disease. *Update on Nuclear Medicine.* 2001. 39(5):1007-1033.
52. Videbech P, Ravnkilde B et al., The Danish PET/depression project: Performance on Stroop's test linked to white matter lesions in the brain. *Psychiatry Research: Neuroimaging.* 2004;130:117-130.
53. Vinjamuri S, O'Driscoll K. Significance of White Matter Abnormalities in Patients with Closed Head Injury. *Nuclear Medicine Communications.* 2000;21:645-649.
54. Wardlaw JM, Easton VJ et al., Which CT features help predict outcome after head injury? *J Neurol Neurosurg Psychiatry.* 2002;72:188-192.
55. Warwick J, Imaging of Brain Function Using SPECT. *Metabolic Brain Disease.* 2004;19(1,2):113-123.
56. Wildermuth CM, Wright D et al., Overview of Computer-Assisted Cognitive Function Diagnostic and Assessment Tools. *Brain Injury Professional.* 1(1):32-34.
57. Wilkinson D, Halligan P et al., The relevance of behavioural measures for functional-imaging studies of cognition. *Neuroscience.* 2004;5:67-73.

#### **DIAGNOSTIC PROCEDURES – FOLLOW-UP**

1. Chen CH, Young YH. Vestibular evoked myogenic potentials in brainstem stroke. *Laryngoscope.* 2003;113(6):990-3. Abstract only.
2. Cicerone KD, Kalmar K. Does premorbid depression influence post-concussive symptoms and neuropsychological functioning? *Brain Inj.* 1977;11(9). Abstract only.
3. Donzelli J, Brady S et al., Simultaneous Modified Evans Blue Dye Procedure and Video Nasal Endoscopic Evaluation of the Swallow. *Laryngoscope;*2001;111:1746-1750.
4. Gaur S, Sorg T, Shukla V. Systemic Absorption of FD&C blue dye associated with patient mortality. *Postgrad Med J.* 2003; 79:602-603.
5. Gerber D, Schraa J. Mild Traumatic Brain Injury: Searching for the Syndrome: *J Head Trauma Rehabil.* 1995;10(4):28-40.
6. Halmagyi GM, Curthoys IS. Clinical Testing of Otolith Function. *Annals New York Academy of Sciences.*195-204.

7. Iverson GL, McCracken LM. 'Postconcussive' symptoms in persons with chronic pain. *Brain Inj.* 1997;11(11):783-90. Abstract only.
8. Iverson GL, Lange RT. Examination of "postconcussion-like" symptoms in a healthy sample. *Appl Neuropsychol.* 2003;10(3):137-44.
9. Lew HL, Dikmen S et al., Use of Somatosensory-Evoked Potentials and Cognitive Event-Related Potentials in Predicting Outcomes of Patients with Severe Traumatic Brain Injury. *American Journal of Physical Medicine & Rehabilitation.* 2003:53-61.
10. Lucarelli MR, Shirk MB et al., Toxicity of Food Drug and Cosmetic Blue No 1 Dye in Critically III Patients\*. *CHEST Journal,* 2004;125(2):793-795.
11. Malec JF, Basford JS. Postacute Brain Injury Rehabilitation. *Arch Phys Med Rehabil.* 1996;11:198-207.
12. Miller LJ, Donders J. Subjective symptomatology after traumatic head injury. *Brain Inj.* 2001;159(4):297-304. Abstract only.
13. Monsell EM, Balkany TA et al. Committee on Hearing and Equilibrium guidelines for the diagnosis and evaluation of therapy in Menier's disease\* *Otolaryngol Head Neck Surg* 1995;113:181-5.
14. Murofushi T, Shimizu K et al., Diagnostic Value of Prolonged Latencies in the Vestibular Evoked Myogenic Potential. *Arch Otolaryngol Head Neck Surg.* 2001;127:1069-1072.
15. Ochi K et al., Variance of vestibular-evoked myogenic potentials. *Laryngoscope.* 2001;111(3):522-7. Abstract only.
16. Swigert N. Blue Dye in the Evaluation of Dysphagia: Is It Safe? *American Speech-Language and Hearing Association.* 2003.
17. Takeichi N, Sakamoto T et al., Vestibular evoked myogenic potential (VEMP) in patient with acoustic neuromas. *Auris Nasus Larynx.* 2001;Suppl:S39-41. Abstract only.
18. Thompson-Henry H, Braddock B. The Modified Evan's Blue Dye Procedure Fails to Detect Aspiration in the Tracheostomized Patient. Five Case Reports. *Dysphagia.* 1995.10:172-174.
19. Tippett D, Siebens A. Reconsidering the Value of the Modified Evans Blue Dye Test: A comment on Thompson-Henry and Braddock. *Dysphagia.* 1995. 11:78-81.
20. Young YJ, Wu CC, Wu CH. Augmentation of vestibular evoked myogenic potentials: an indication for distended saccular hydrops. *Laryngoscope.* 2002;112(3):509-12. Abstract only.
21. Zapala DA, Brey RH. Clinical experience with the vestibular evoked myogenic potentials. *J Am Acad Audiol.* 2004;15(3):198-215. Abstract only.

#### **DIAGNOSTIC PROCEDURES – INITIAL**

1. American Academy of Neurology. St. Paul, MN. Assessment: Neuropsychological Testing of Adults, Considerations for Neurologists. *Report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology.* 1996.
2. Comerford V, Geffen G, May C et al., A Rapid Screen of the Severity of Mild Traumatic Brain Injury. *Journal of Clinical and Experimental Neuropsychology.* 2002;24(4): 409-19.
3. Erlanger D, Kaushik T, Cantu R et al., Symptom-based Assessment of the Severity of a Concussion. *J Neurosurg.* 2003;98:477-84.

4. Gordon W, Haddad L, Brown M et al., The Sensitivity and Specificity of Self-Reported Symptoms in Individuals with TBI. *Brain Injury*. 2000;14(1):21-33.
5. Gordon WA, Brown M et al., The Enigma of “Hidden” Traumatic Brain Injury. *J Head Trauma Rehabil*; 1998;13(6):39-56.
6. Medical Evaluators News. Acceleration Perturbations of Daily Living, a Comparison to ‘Whiplash’. *October/November 1998*. 3(5).
7. Mellick D, Gerhart KA et al., Understanding outcomes based on the post-acute hospitalization pathways followed by persons with traumatic brain injury. *21Brain Injury*. 2003, 17(1):55-71.
8. Mower W, Hoffman J, Herbert M et al., Developing a Clinical Decision Instrument to Rule Out Intracranial Injuries in Patients with Minor Head Trauma: Methodology of the NEXUS II Investigation. *Annals of Emergency Medicine*. 2002;40;(5):505-14.
9. Nell V, Phil E, Yates D et al., An extended Glasgow Coma Scale (GCS-E) with Enhanced Sensitivity to Mild Brain Injury. *Arch Phys Med Rehabil*. 2000;81:614-17.
10. Stein S, Spettell C, Young G et al., Limitations of Neurological Assessment in Mild Head Injury. *Brian Injury* 1993; 7(5):425-30.
11. Stein S, Spettell C. The Head Injury Severity Scale (HISS): A Practical Classification of Closed-Head Injury. *Brain Injury* 1995; 9(5):437-44.
12. Williams D, Levin H, Eisenberg H. Mild Head Injury Classification. *Neurosurgery*. 1990; 27(3):422-28.

## **EPIDEMIOLOGY**

1. Adekoya N, Thurman D, White D. Surveillance for Traumatic Brain Injury Deaths – United States, 1989-1998. Centers for Disease Control and Prevention. Morbidity and Mortality Weekly Report. Surveillance Summaries Dec 6 2002. *MMWR*. 2002; 51(No. SS-10).
2. Boswell J, McErlean M et al., Prevalence of Traumatic Brain Injury in and ED Population. *American Journal of Emergency Medicine*.2002; 20(3):177-180.
3. Burnett D, Kolakowsky-Hayner S et al., Ethnographic Analysis of Traumatic Brain Injury Patients in the National Model Systems Database. *Arch Phys Med Rehab*.2003;84:263-367.
4. Center for Neuro Skills. Bakersfield, CA. Epidemiology of TBI. [www.neuroskills.com/tbi/epidemiology.shtml](http://www.neuroskills.com/tbi/epidemiology.shtml) [Excerpt from] *Brain Injury Glossary*. Definitions of Closed, Mild, and Traumatic Brain Injury, and Brain Plasticity. Accessed. March 1, 2004.
5. Centers for Disease Control and Prevention. Traumatic Brain Injury – Colorado, Missouri, Oklahoma, and Utah 1990-1993. Morbidity and Mortality Weekly Report. Surveillance Summaries Jan 10, 1997. *MMWR* 1997.
6. Coimbra R, Hoyt R, Potenza B et al., Does Sexual Dimorphism Influence Outcome of Traumatic Brain Injury Patients? The Answer is No! *The Journal of Trauma*. 2003; 54(4):689-700.
7. Colorado Department of Public Health and Environment. Injury Epidemiology Program. Traumatic Brain Injury Data Tables. <http://www.cdphe.state.co.us/pp/injepi/InjuryinColorado/braininjurytables.pdf>

8. Dikmen S, Machamer J et al., Outcome 3 to 5 Years after Moderate to Severe Traumatic Brain Injury. *Arch Phys Med Rehabil.*2003; 84:1449-1457.
9. Evans S, Airey M et al., Disability in Young Adults following Major Trauma: 5 Year Follow-up of Survivors. *BMC Public Health.*2003;3:8.
10. Ghajar J. Traumatic Brain Injury. *Lancet.* 2000;356:923-29.
11. Harrison-Felix C, Whiteneck G et al., Mortality Following Rehabilitation in the Traumatic Brain Injury Model Systems of Care. *NeuroRehabilitation.* 2004;19:45-54.
12. Holsinger T, Steffens D, Phillips C et al., Head Injury in Early Adulthood and the Lifetime Risk of Depression. *Arch Gen Psychiatry.* 2002;59:17-22.
13. Jellinger K, Werner P et al., Traumatic Brain Injury as a Risk Factor for Alzheimer Disease. Comparison of Two Retrospective Autopsy Cohorts with Evaluation of ApoE genotype. *BMC Neurology.* 2001;1:3.
14. Langlois J, Kegler S, Butler J et al., Traumatic Brain Injury-Related Hospital Discharges: Results from a 14-state Surveillance System, 1997. Centers for Disease Control and Prevention. Morbidity and Mortality Weekly Report. Surveillance Summaries Jun 27 2003. *MMWR.* 2003;52(No. SS-4).
15. Mason S, Wardrope J et al., Outcomes after Injury: A Comparison of Workplace and Nonworkplace Injury. *Journal of Trauma.* 2002;53:98-103.
16. McCullagh S, Feinstein A. Outcome after Mild Traumatic Brain Injury: An Examination of Recruitment Bias. *J Neurol Neurosurg Psychiatry.* 2003;74:39-43.
17. Mosenthal A, Lavery R, Addis M et al., Isolated Traumatic Brain Injury: Age Is an Independent Predictor of Mortality and Early Outcome. *J Trauma.*2002;52:907-911.
18. Ono J, Yamaura A et al., Outcome Prediction in Severe Head Injury: Analyses of Clinical Prognostic Factors. *Journal of Clinical Neuroscience.* 2001;8(2):120-123.
19. Pritchard C, Baldwin D, Mayers A. Changing Patterns of Adult (45-74 years) Neurological Deaths in the Major Western World Countries 1979-1997. *Public Health.* 2004;118:268-283.
20. Traumatic Brain Injury in the United States: A Report to Congress. *U.S. Dept. of Health and Human Services. Centers for Disease Control and Prevention. December 1999.*
21. Zakzanis K. Statistics to Tell the Truth, the Whole Truth, and Nothing but the Truth: Formulae, Illustrative Numerical Examples, and Heuristic Interpretation of Effect Size Analyses for Neuropsychological Researchers. *Archives of Clinical Neuropsychology.* 2001;16:653-667.
22. Zemper ED. Two-year prospective study of relative risk of a second cerebral concussion. *Am J Phys Med Rehab.* 2003; 82(9):653-9. Abstract only.

#### **EVIDENCE-BASED MEDICINE**

1. Begg C. Biases in the Assessment of Diagnostic Tests. *Statistics in Medicine.* 1987;6:411-23.
2. Hampton JR. Evidence-based Medicine, Practice Variations and Clinical Freedom. *J of Eval in Clin Prac.* 1997;3(2):123-31.
3. Montgomery EB, Turkstra LS. Essay. Evidence-Based Practice: Let's Be Reasonable. *Journal of Medicine.* 2003. 11(2):ix-xii.

## GENERAL OVERVIEW AND PATHOPHYSIOLOGY

1. Alexander M. In the Pursuit of Proof of Brain Damage after Whiplash Injury. *Neurology*. 1998;51:336-340.
2. Alexander M. Mild Traumatic Brain Injury: Pathophysiology, Natural History and Clinical Management. *Neurology*. 1995;45:1253-60.
3. Alexander M. The Evidence for Brain Injury in Whiplash Injuries. *Pain Res Manage*. 2003;8(1):19-23.
4. Alves WM, Colohan A et al., Understanding posttraumatic symptoms after minor head injury. *J Head Trauma Rehabil*. 1986;1(2):1-12.
5. American Congress of Rehabilitation Medicine Committee of the Head Injury Interdisciplinary Special Interest Group. Definition of Mild Traumatic Brain Injury. *J Head Trauma Rehabil*. 1993;8(3):86-7.
6. American Psychiatric Association. Appendix B. Criteria Sets and Axes provided for Further Study. Washington DC. *Diagnostic and Statistical Manual of Mental Disorders*. 4<sup>th</sup> Edition, Text Revision DSM-IV-TR. 2000:759-62.
7. Andary M, Crewe N, Ganzel S et al., Traumatic Brain Injury / Chronic Pain Syndrome: A Case Comparison Study. *Clinical Journal of Pain*. 1997;13:244-50.
8. Bailes JE, Cantu RC. Head Injury in Athletes. *Neurosurgery*. 2001;48(1):26-46.
9. Benvenga S, Ruggeri R et al., Severe Head Trauma in Patients with Unexplained Central Hypothyroidism. *The American Journal of Medicine*. 2003;116:767-771.
10. Bernstein D. Information Processing Difficulty Long After Self-Reported Concussion. *JINS*. 2002;8:673-682.
11. Binder L, Rohling M. Money Matters: A Meta-Analytic Review of the Effects of Financial Incentives on Recovery after Closed-Head Injury. *Am J Psychiatry*. 1996;153(1):7-10.
12. Bogduk N, Teasell R. Whiplash: the evidence for an organic etiology. *Arch Neurol*. 2000;57(4):590-2. Abstract only.
13. Bonne O, Gilboa A et al., Cerebral blood flow in chronic symptomatic mild traumatic brain injury. *Psychiatry Research: Neuroimaging*. 2003;124:141-152.
14. Brown S, Fann J, Grant I. Postconcussional Disorder: Time to Acknowledge a Common Source of Neurobehavioral Morbidity. *Journal of Neuropsychiatry and Clinical Neurosciences*. 1994;6:15-22.
15. Centers for Disease Control and Prevention. U.S. Dept. of Health and Human Services. Heads Up: Facts for Physicians About Mild Traumatic Brain Injury. [http://www.cdc.gov/Migrated\\_Content/Brochures\\_and\\_Catalogs/tbi\\_mtbi\\_facts\\_for\\_physicians.pdf](http://www.cdc.gov/Migrated_Content/Brochures_and_Catalogs/tbi_mtbi_facts_for_physicians.pdf) Assessed March 11, 2004.
16. Clausen R, Bullock R. Medical Treatment and Neuroprotection in Traumatic Brain Injury. *Current Pharmaceutical Design*. 2001;7(15):1517-32.
17. Dikmen S, Machamer J et al., Functional Status Examination: A New Instrument for Assessing Outcome in Traumatic Brain Injury. *Journal of Neurotrauma*. 2001;18(2):127-140.
18. Dupuis F, Johnston K et al., Concussions in athletes produce brain dysfunction as revealed by event-related potentials. *Clinical Neuroscience and Neuropathology*. 2000;11(18):4087-4092.
19. Ferrari R, Kessels RP. Whiplash controversy. *Neuropsychiatry Neuropsychol Behav Neurol*. 2002;15(1):56-65. Abstract only.

20. Ganz WF. Initial Management of Closed Head Injury. Current therapies and the closed head injury guidelines.
21. Giza CC, Hovda DA. The Neurometabolic Cascade of Concussion. *Journal of Athletic Training*. 2001;36(3):228-235.
22. Gordon W, Brown M et al., The Enigma of “Hidden” Traumatic Brain Injury. *J Head Trauma Rehabil*. 1998;13(6):39-56.
23. Guskiewicz KM, McCrea M et al., Cumulative Effects Associated with Recurrent Concussion in Collegiate Football Players. *JAMA*. 2003; 290(19):2549-2555.
24. Hammoud D, Wasserman BA. Diffuse Axonal Injuries: Pathophysiology and Imaging. *Neuroimag Clin N Am*. 2002:205-216.
25. Head Injury for Neurologists. *J Neurol Neurosurg Psychiatry*. 2002;73:i8-i16.
26. Headway Brain Injury Assn. Prevention and Safety. [www.headway.org.uk/default.asp?step=4&pid=43](http://www.headway.org.uk/default.asp?step=4&pid=43) Assessed March 8, 2004.
27. Healey C, Turner M et al., Improving the Glasgow Coma Scale Score: Motor Score Alone is a Better Predictor. *Journal of Trauma*. 2003;54:671-680.
29. Herrmann M, Curio N et al., Release of biochemical markers of damage to neuronal and glial brain tissue is associated with short and long term neuropsychological outcome after traumatic brain injury. *J Neurol Neurosurg Psychiatry*. 2001;70:95-100.
30. Hutchinson PJ, Kirkpatrick PJ. Acute Head Injury for the Neurologist. *J Neurol Neurosurg Psychiatry*. 2002;73:i3-i7.
31. Jeremitsky E, Omert L et al., Harbingers of Poor Outcome the Day after Severe Brain Injury: Hypothermia, Hypoxia, and Hypoperfusion. *Journal of Trauma*. 2003;54:312-319.
32. Johnston KM, McCrory P et al., Evidence-Based Review of Sport-Related Concussion: Clinical Science. *Clinical Journal of Sport Medicine*. 2001;11:151-159.
33. Kessels RP, Keyser A et al., The whiplash syndrome: a psychophysiological and neuropsychological study towards attention. *Acta Neurol Scand*. 1998;97(3):188-93. Abstract only.
34. Kibby M, Long C. Review Minor head injury: attempts at clarifying the confusion. *Brain Injury*. 1996;10(3):159-186.
35. King NS. Post-concussion syndrome: clarity amid the controversy? *British Journal of Psychiatry*. 2003;183:274-278.
36. Kotchoubey B, Kubler A, Strehl U et al., Can Humans Perceive Their Brain States. *Consciousness and Cognition*. 2002;11:98-113.
37. Kushner D. Mild Traumatic Brain Injury. *Arch Intern Med*. 1998;158:1617-1624.
38. LaForce R, Martin-MacLeod L. Symptom Cluster Associated with Mild Traumatic Brain Injury in University Students. *Perceptual and Motor Skills*. 2001;93:281-88.
39. Lee SM, Wong MD et al., Evidence for Energy Failure following Irreversible Traumatic Brain Injury. *Annals New York Academy of Sciences*:337-340.
40. Levin H, Boake C et al., Validity and Sensitivity to Change of the Extended Glasgow Outcome Scale in Mild to Moderate Traumatic Brain Injury. *Journal of Neurotrauma*. 2001;18(6):575-584.
41. McCauley SR, Levin HS et al., The neurobehavioural rating scale-revised: sensitivity and validity in closed head injury assessment. *J Neurol Neurosurg Psychiatry*. 2001;71:643-651.

42. McCrea M. Standardized Mental Status Assessment of Sports Concussion. *Clinical Journal of Sport Medicine*. 2001;11:176-181.
43. McCrea M, Kelly JP et al., Immediate Neurocognitive Effects of Concussion. *Neurosurgery*. 2002;50(5):1032-1042.
44. MacKenzie EJ, McCarthy ML et al., Using the SF-36 for Characterizing Outcome after Multiple Trauma Involving Head Injury. *J Trauma*. 2002;52:527-534.
45. MacKenzie JD, Siddiqi F et al., Brain Atrophy in Mild or Moderate Traumatic Brain Injury: A Longitudinal Quantitative Analysis. *AJNR*. 2002;23:1509-1515.
46. McCrory P. Does Second Impact Syndrome Exist? *Clinical Journal of Sport Medicine*. 2001;11:144-149.
47. McCrory P. Evidence-Based Review of Sport-Related Concussion: Basic Science. *Clinical Journal of Sport Medicine*. 2001;11:160-165.
48. McCrory P, Berkovic SF. Concussion. The history of clinical and pathophysiological concepts and misconceptions. *Neurology*. 2001;57:2283-289.
49. Management and Prognosis of Severe Traumatic Brain Injury. *Brain Trauma Foundation and American Association of Neuro Surgeons*. 2000.
50. Margulies S. The postconcussion syndrome after mild head trauma: is brain damage over diagnosed: Part I. *Journal of Clinical Neuroscience*. 2000;7(5):400-408.
51. Marik P, Varon J, Trask T. Management of Head Trauma. *CHEST*. 2002;122:699-711.
52. Medana IM, Esiri MM. Axonal damage: a key predictor of outcome in human CNS diseases. *Brain*. 2003;126:515-530.
53. Mittenberg W, DiGuilio D, Perrin S et al., Symptoms Following Mild Head Injury: Expectation as Aetiology. *Journal of Neurology, Neurosurgery and Psychiatry*. 1992;55:200-04.
54. Mittenberg W, Strauman S. Diagnosis of Mild Head Injury and the Postconcussion Syndrome. *J Head Trauma Rehabil*. 2000;15(2):783-91.
55. Narayan RJ, Michel ME, Ansell B et al., Clinical Trials in Head Injury. *Journal of Neurotrauma*. 2002;19(5):503-57.
56. Nissen JJ, Signorini DF et al., Glasgow Head Injury Outcome Prediction Program had good utility for patients with head injury. *J Neurol Neurosurg Psychiatry*. 1999; 67:796-9.
57. Norwood SH, McAuley CE et al., A Prehospital Glasgow Coma Scale  $\leq 14$  Accurately Predicts the Need for Full Trauma Team Activation and Patient Hospitalization after Motor Vehicle Collisions. *Journal of Trauma*. 2002;53:503-507.
58. Parsley J, Fletcher L, Mabrook AF. Head Injury Instructions: A Time to Unify. *J Accid Emerg Med*. 1997;14:238-39.
59. Radanov BP, Dvorak J. Impaired Cognitive Functioning After Whiplash Injury of the Cervical Spine. *Spine*. 1996;21(3):392-397. Abstract only.
60. Rees PM. Contemporary Issues in Mild Traumatic Brain Injury. *Arch Phys Med Rehabil*. 2003;84:1885-1894.
61. Ruff RM, Jurica P. In Search of a Unified Definition for Mild Traumatic Brain Injury. *Brain Injury*. 1999;13(12):943-52.
62. Rutherford WH, Merrett JD, McDonald JR. Sequelae of Concussion Caused by Minor Head Injuries. 1977. *The Lancet Ltd.*, 1-4.
63. Sbordone RJ, Seyranian GD et al., Are the subjective complaints of traumatically brain injured patients reliable? *Brain Inj*. 1998;12(6):505-15. Abstract only.

64. Schaan M, Jaksche H et al., Predictors of Outcome in Head Injury: Proposal of a New Scaling System. *J Trauma*. 2002;52:667-674.
65. Schwartz M, Carruth F, Binns MA et al., The Course of Post-Traumatic Amnesia: Three Little Words. *Can Neurol. Sci*. 1998;25:108-116.
66. Servadei F, Teasdale G et al., Defining Acute Mild Head Injury in Adults: A Proposal Based on Prognostic Factors, Diagnosis, and Management. *Journal of Neurotrauma*. 2001;18(7):657-664.
67. Statler KD, Jenkins LW et al., The Simple Model Versus the Super Model: Translating Experimental Traumatic Brain Injury Research to the Bedside. *Journal of Neurotrauma*. 2001;18(11):1195-1206.
68. Stuss DT. A Sensible Approach to Mild Traumatic Brain Injury. *Neurology*. 1995;45:1251-52.
69. Stuss DT, Binns M, Carruth F et al., The Acute Period of Recovery from Traumatic Brain Injury; Posttraumatic Amnesia or Posttraumatic Confusional State? *J Neurosurg*. 1999;90:635-43.
70. Stuss DT, Binns MA et al., Prediction of recovery of continuous memory after traumatic brain injury. *American Academy of Neurology*. 2000;54:1337-1344.
71. Suhr J, Gunstad J. Postconcussive Symptom Report: The Relative Influence of Head Injury and Depression. *Journal of Clinical and Experimental Neuropsychology*. 2003;24(8):981-93.
72. Sullivan MJ, Hall E et al., Perceived cognitive deficits, emotional distress and disability following whiplash injury. *Pain Res Manag*. 2002;7(3):120-6. Abstract only.
73. Tator CH. Strategies for recovery and regeneration after brain and spinal cord injury. *Injury Prevention*. 2002. 8:iv33-iv36.
74. Van Baalen B, Odding E, Maas A et al., Traumatic Brain Injury: Classification of Initial Severity and Determination of Functional Outcome. *Disability and Rehabilitation*. 2003;25(1):9-18.
75. Webbe F, Barth J. Short-term and Long-term Outcome of Athletic Closed Head Injuries. *Clinics in Sports Medicine*. 2003;22(3). *MD Consult web site*. Assessed January 28, 2004.
76. Weight D. Minor Head Trauma. *Psychiatric Clinics of North America Sep 1998;21(3)*.
77. Wolfson AM, Doctor JN et al., Clinical Judgments of Functional Outcomes: How Bias and Perceived Accuracy Affect Rating. *Arch Phys Med Rehabil*. 2000;81:1567-1574.
78. World Health Organization. Geneva. International Classification of Functioning and Disability (ICIDH-2). [www.deakin.edu.au/tedca/ncet/information/resources/icidh.html](http://www.deakin.edu.au/tedca/ncet/information/resources/icidh.html) Assessed Feb. 19, 2004.
79. World Health Organization. Geneva. Towards a Common Language for Functioning, Disability and Health. ICF. <http://www3.who.ch/icf/beginners/bg.pdf> Assessed February 25, 2004.
80. Yount R, Raschke K et al., Traumatic Brain Injury and Atrophy of the Cingulate Gyrus. *J Neuropsychiatry Clin Neurosci*. 2002;14(4):416-423.

## **HEADACHE**

1. Bennett T. Post-traumatic Headaches: Subtypes and Behavioral Treatments. *Cognitive Rehabilitation*. March/April 1988:34-41

2. Capobianco D, Swanson JW, Dodick, DW. Medication Induced (Analgesic Rebound) Headache: Historical Aspects and Initial Descriptions of the North American Experience. *Headache*. 2001;41:500-502
3. Haas, DC. Chronic post-traumatic headaches classified and compared with natural headaches. *Cephalalgia*.1996;16:486-93. *Oslo. ISSN 0333-102*
4. Margulies, S. The postconcussion syndrome after mild head trauma Part II: is migraine under diagnosed? *Journal of Clinical Neuroscience*. 2000;7(6):495-499

## **MEDICAL TREATMENT GUIDELINES**

1. Brain Trauma Foundation. Guidelines for the Management of Severe Traumatic Brain Injury: Cerebral Perfusion Pressure. *2000 CPP Guidelines AANS*.
2. Brain Trauma Foundation New York. Guidelines for Prehospital Management of Traumatic Brain Injury. 2000
3. Cushman J, Agarwal N, Fabian T et al., Practice Management Guidelines for the Management of Mild Traumatic Brain Injury: The EAST Practice Management Guidelines Work Group. *J Trauma*. 2001;51:1016-26.
4. Gates GA, Green Jr. D et al., The Effects of Transtympanic Micropressure Treatment in People with Unilateral Meniere's Disease. *Arch Otolaryngol Head Neck Surg*. 2004;130:718-725.
5. Golper LC et al., Evidence-Based Practice Guidelines for the Management of Communication Disorders in Neurologically Impaired Individuals: Project Introduction. *ANCDS*. 2002:1-12.
6. Institute for Healthcare Quality. Quality FIRST<sup>®</sup> Position Paper.
7. National Guideline Clearinghouse. Assessment: Neuropsychological Testing of Adults. Considerations for Neurologists. *Neurology*. 1996 Aug;47(2):592-99.
8. National Guideline Clearinghouse. Adult Low Back Pain. *ICSI*. 2004:1-17
9. Yanagawa T, Bunn F, Roberts I et al., Nutritional Support for Head-Injured Patients. 2 Apr 2002. *Cochrane Review*. Assessed January 29, 2004.

## **MEDICATIONS**

1. Alban JP, Hopson MM. et al. Effect of Methylphenidate on Vital Signs and Adverse Effects in Adults with Traumatic Brain Injury. *Am J Phys Med Rehab*. 2004;83(2):131-137.
2. Alderson P, Roberts I. Corticosteroids for Acute Traumatic Brain Injury. 27 Aug 2002. *Cochrane Review*. Assessed April 9, 2003.
3. Alves OL, Doyle AJ et al., Evaluation of Topiramate Neuroprotective Effect in Severe TBI Using Microdialysis. *Ann NY Acad Sci*.2003;993:25-34.
4. Chang BS, Lowenstein DH. Practice Parameter: Antiepileptic Drug Prophylaxis in Severe Traumatic Brain Injury: Report of the quality Standards Subcommittee of the American Academy of Neurology. (Special Article) *Neurology*. 2003;60:10-16.
5. Cohen D. Atypical Antipsychotics and New Onset Diabetes mellitus. *Pharmacopsychiatry*. 2004;37:1-11.

6. Crash Trials Collaborators. Effect of intravenous corticosteroids on death within 14 days in 10008 adults with clinically significant head injury (MRC CRASH trial): randomized placebo-controlled trial. *Lancet*. 2004;364:1321-28.
7. Faden AI. Neuroprotection and Traumatic Brain Injury. *Arch Neuro*. 2001;58:1553-1555.
8. Fann JR, Uomoto JM et al., Sertraline in the Treatment of Major Depression Following Mild Traumatic Brain Injury. *J Neuropsychiatry Clin Neurosci*. 2000;12(2):226-232.
9. Fleminger S, Greenwoor RJ, Oliver DL. Pharmacological Management for Agitation and Aggression in People with Acquired Brain Injury. 8 Nov 2002. *Cochrane Review*. Assessed January 29, 2004.
10. Forsyth R, Jauamoni B. Noradrenergic Agonists for Acute Traumatic Brain Injury. 31 Oct 2002. *Cochrane Review*. Assessed Jan 29, 2004.
11. Glenn M. A Differential Diagnostic Approach to the Pharmacological Treatment of Cognitive, Behavioral, and Affective Disorders after Traumatic Brain Injury. *J Head Trauma Rehab*. 2002;17(4):273-8.
12. Griffin SL, Reekum R et al., A Review of Cholinergic Agents in the Treatment of Neurobehavioral Deficits Followings Traumatic Brain Injury. *J. Neuropsychiatry Clin Neurosci*. 2003;15(1):17-26.
13. Ikonomidou C, Turski L. Why Did NMDA Receptor Antagonists Fail Clinical Trials for Stroke and Traumatic Brain Injury. *Neurology*. 2002;Oct(1):383-86
14. Kavanagh RJ, KAM P. Lazaroids: efficacy and mechanism of action of the 21-aminosteroids in neuroprotection. *British Journal of Anaesthesia*.2001;86(1):110-19.
15. Lancet (AD2000 Collaborative Group). Long-term donepezil treatment in 565 patients with Alzheimer's disease (AD2000): randomized double-blind trial. *Lancet*. 2004;363:2105-15.
16. Masanic CA, Bayley MT et al., Open-Label Study of Donepezil in Traumatic Brain Injury. *Arch Phys Med Rehabil*.2001;82:896-901.
17. Morey CE, Cilo M et al., The effect of Aricept<sup>®</sup> in persons with persistent memory disorder following traumatic brain injury: a pilot study. *Brain Injury*.2003;17(9):809-815.
18. Plenger PM, Dixon CE et al., Subacute Methylphenidate Treatment for Moderate to Moderately Severe Traumatic Brain Injury: A Preliminary Double-Blind Placebo-Controlled Study. *Arch Phys Med Rehabil*.1996;77:536-540.
19. Roberts I, Schierhout G, Wakai A. Mannitol for Acute Traumatic Brain Injury. 20 Jan 2003. *Cochrane Review*. Assessed January 29, 2004.
20. Roberts I. Aminosteroids for Acute Traumatic Brain Injury. 13 Jan 2003. *Cochrane Review*. Assessed January 28, 2004.
21. Roberts I. Barbiturates for Acute Traumatic Brain Injury. 11 May 1999. *Cochrane Review*. Assessed January 29, 2004. <http://gateway1.ovid.com>
22. Silver JM, Anderson K. Vasopressin Treats of Persistent Feeling of Coldness After Brain Injury. *J. Neuropsychiatry Clin Neurosci*.1999;11(2):248-252.
23. Willis C, Lybrand S, Bellamy N. Excitatory Amino Acid Inhibitors for Traumatic Brain Injury. 12 Jan 2003. *Cochrane Review*. Assessed January 28, 2004.

## NEUROPSYCHIATRY

1. Arciniegas D, Beresford T. Neuropsychiatry: An Introductory Approach. *Cambridge University Press. New York, NY 2001.*
2. Balestreri M, Czosnyka et al., Predictive value of Glasgow coma scale after brain trauma: change in trend over the past ten years. *J Neurol Neurosurg Psychiatry. 2004;75:161-162.*
3. Boake C, Millis S et al., Using Early Neuropsychologic Testing to Predict Long-Term Productivity Outcome from Traumatic Brain Injury. *Arch Phys Med Rehabil. 2001;82:761-768.*
4. Deb S, Lyons I et al., Rate of Psychiatric Illness 1 Year after Traumatic Brain Injury. *Am J Psychiatry. 1999;156(3):374-378*
5. de Kruijk JR, Leffers P et al., Prediction of post-traumatic complaints after mild traumatic brain injury: early symptoms and biochemical markers. *J Neurol Neurosurg Psychiatry. 2002;73:727-732.*
6. Dikmen S, Machamer J et al., Mild Head Injury: Facts and Artifacts. *Journal of Clinical and Experimental Neuropsychology.2001;23(6):729-738.*
7. Dikmen S, Machamer J, Winn R et al., Neuropsychological Outcome at 1-Year Post Head Injury. *Neuropsychology. 1995;9(1):80-90.*
8. Dodrill C. Myths of Neuropsychology. *Clinical Neuropsychologist. 1997;11(1):1-17.*
9. Dolan RJ, Bench CJ, Brown RG et al., Neuropsychological Dysfunction in Depression: The Relationship to Regional Cerebral Blood Flow. *Psychological Medicine. 1994; (24):849-857.*
10. Dunn J. Valid Neuropsychological Assessment of Mild Traumatic Brain Injury in Litigated Claims. *Trial Diplomacy Journal. 1999;22:22-6.*
11. Fann J, Burington B et al., Psychiatric Illness Following Traumatic Brain Injury in and Adult Health Maintenance Organization Population. *Arch Gen Psychiatry. 2004;61:53-61.*
12. Fontaine A, Azouvi P, Remy P et al., Functional Anatomy of Neuropsychological Deficits after Severe Traumatic Brain Injury. *Neurology. 1999;53:1963-1968.*
13. Fujii D, Ahmed I. Risk Factors in Psychosis Secondary to Traumatic Brain Injury. *J Neuropsychiatry Clin Neurosci. 2001; 13(1):6169.*
14. Goldstein F, Levin H et al., Cognitive and Behavioral Sequelae of Closed Head Injury in Older Adults According to Their Significant Others. *J Neuropsychiatry Clin Neurosci. 1999;11(1):38-44.*
15. Grindel S, Lovell M, Collins M. The Assessment of Sport-Related Concussion: The Evidence behind Neuropsychological Testing and Management. *Clin J Sport Med. 2001;11:134-143.*
16. Hanlon R, Demery JA, Martinovich Z. Effects of Acute Injury Characteristics on Neuropsychological Status and Vocational Outcome Following Mild Traumatic Brain Injury. *Brain Injury. 1999;13(11):873-887.*
17. Hibbard MR, Uysal S et al., Axis I Psychopathology in Individuals with Traumatic Brain Injury. *J Head Trauma Rehab. 1998;13(4):24-39.*
18. Iverson G et al., Does Brief Loss of Consciousness Affect Cognitive Functioning After Mild Head Injury? *Archives of Clinical Neuropsychology;2000;15(7):643-648.*
19. Jorge R, Robinson R. et al. Major Depression Following Traumatic Brain Injury. *Arch Gen Psychiatry. 2004;61:42-50.*

20. Jorge R, Robinson R, Starkstein S et al., Depression and Anxiety Following Traumatic Brain Injury. *Journal of Neuropsychiatry*.1993;5(4):369-74.
21. Keefe R. The Contribution of Neuropsychology to Psychiatry. *Am J Psychiatry*. 1995;152:6-15
22. Keller M, Hiltbrunner B et al., Reversible neuropsychological deficits after mild traumatic brain injury. *J Neurol Neurosurg Psychiatry*. 2000;68:761-764.
23. King N, Crawford S et al., Early prediction of persisting post-concussion symptoms following mild and moderate head injuries. *British Journal of Clinical Psychology*. 1999;38:15-25.
24. Koponen S, Taiminen T et al., Axix I and II Psychiatric Disorders after Traumatic Brain Injury: A 30-Year Follow-Up Study. *Am J Psychiatry*. 2002;159(8):1315-1321.
25. Macciocchi S, Barty J, Alves W. Neuropsychological Functioning and Recovery after Mild Head Injury in Collegiate Athletes. *Neurosurgery*. 1996;39(3):510-14.
26. McAllister TW, Sparling M et al., Differential Working Memory Load Effects after Mild Traumatic Brain Injury. *NeuroImage*. 2001;14:1004-1012.
27. Mittenberg W, Canyock E, Condit D et al., Treatment of Post-Concussion Syndrome Following Mild Head Injury. *Journal of Clinical and Experimental Neuropsychology*. 2001;23(6):829-36.
28. O'Donnell ML, Creamer M et al., Psychiatric Morbidity Following Injury. 2004. *Am J Psychiatry*. 161(3):507-541.
29. Rapoport MJ, McCullagh S et al., The Clinical Significance of Major Depression Following Mild Trauma Brain Injury. *Psychosomatics*. 2003;44(1):31-37.
30. Sbordone RJ, Seyranian GD et al., The Use of Significant Others to Enhance the Detection of Malingerers From Traumatically Brain-Injured Patients. *Archives of Clinical Neuropsychology*. 2000. 15(6):465-477. Abstract only.
31. Sherrill-Pattison S et al., Influence of demographic variables on neuropsychological test performance after traumatic brain injury. *Clin Neuropsychol*. 2000;14(4):496-503. Abstract only.
32. Shoumitro D, Lyons I et al., Rate of Psychiatric Illness 1 Year after Traumatic Brain Injury. *Am J Psychiatry*. 1999;156(3):374-378.
33. Silver J, McAllister T. Forensic Issues in the Neuropsychiatric Evaluation of the Patient with Mild Traumatic Brain Injury. *J of Neuropsychiatry*. 1997;9(1):102-112.
34. Van Reekum R, Cohen T, Wong J. Can Traumatic Brain Injury Cause Psychiatric Disorders? *J Neuropsychiatry Clin Neurosci*. 2000;12(3):316-27.

## **REHABILITATION**

1. Ashley M. Traumatic Brain Injury: Rehabilitative Treatment and Case Management. 2<sup>nd</sup> Edition. *CRC Press*. 2004. Boca Raton, FL.
2. Agency for Health Care Policy and Research. Evidence Report/Technology Assessment Number 2, Rehabilitation for Traumatic Brain Injury. (*AHCPR Publication No. 99-E006*).
3. American Speech-Language Hearing Association. Guidelines for Speech-Language Pathologists Serving Persons With Language, Socio-Communicative, and/or Cognitive/Communicative Impairments. *ASHA*.1991. 33 (Suppl. 5):21-28.

4. American Speech-Language Hearing Association. Guidelines for the Structure and Function of an Interdisciplinary Team for Persons with Brain Injury. *ASHA* 1995;37 (Suppl.14):23.
5. American Speech-Language Hearing Association. The Role of Speech-Language Pathologists in the Identification, Diagnosis, and Treatment of Individuals with Cognitive-Communicative Impairments. *ASHA*.30:79.
6. Berg IJ, Koning-Haanstra M et al., Long-term Effects of Memory Rehabilitation: A Controlled Study. *Neuropsychological Rehabilitation*. 1991;1(2):97-111.
7. Borgaro SR, Prigatano GP et al., Cognitive and affective sequelae in complicated and uncomplicated mild traumatic brain injury. *Brain Inj*. 2003;17(3):189-98.
8. Bryant RA, Moulds M et al., Treating Acute Stress Disorder Following Mild Traumatic Brain Injury. *Am J Psychiatry*. 2003;160(3):585-587.
9. Carney N, Chesnut R et al., Effect of Cognitive Rehabilitation on Outcomes for Persons with Traumatic Brain Injury: A Systematic Review. *J Head Trauma Rehabil*. 1999; 14(3):277-307.
10. Cicerone K, Mott T et al., Community Integration and Satisfaction with Functioning After Intensive Cognitive Rehabilitation for Traumatic Brain Injury. *Arch Phys Med Rehabil*. 2004;85:943-950.
11. Cicerone K, Giacino J. Remediation of Executive Function Deficits after Traumatic Brain Injury. *NeuroRehabil*.1992;2(3):12-22.
12. Cicerone K, Dahlberg C, Kalmar K et al., Evidence-Based Cognitive Rehabilitation: Recommendations for Clinical Practice. *Arch Phys Med Rehabil*. 2000;81:1596-1615.
13. Cotman CW, Berchtold NC. Exercise: a behavioral intervention to enhance brain health and plasticity. *Trends in Neurosciences*. 2002;25(6):295-301.
14. Foxx RM et al., The Acquisition, Maintenance, and Generalization of Problem-Solving Skills by Closed Head-Injured Adults. *Behavior Therapy*. 1989;20:61-76.
15. Fryer LJ, Haffey WJ. Cognitive rehabilitation and community re-adaptation: Outcomes from two program models. *J Head Trauma Rehabil*. 1987;2(3):51-63.
16. Gray J et al., Microcomputer-based Attentional Retraining after Brain Damage: A Randomized Group Controlled Trial. *Neuropsychological Rehabilitation*. 1992;2(2):97-115.
17. Golper LC, Wertz RT et al., Evidence-Based Practice Guidelines for the Management of Communication Disorders in Neurologically Impaired Individuals: *Project Introduction. ANCDs, Practice Guidelines Project*;2001:1-10.
18. Gray, JM, Robertson G et al., Microcomputer-based Attentional Retraining after Brain Damage: A Randomised Group Controlled Trial. *Neuropsychological Rehabil*.1992;2(2).
19. Helffenstein DA, Wechsler FS. The Use of Interpersonal Process Recall (IPR) in the Remediation of Interpersonal and Communication Skill Deficits in the Newly Brain-Injured. *Clinical Neuropsychology*. 5(3):139-143.
20. Hinchliffe FJ, Murdoch B, Theodoros D. Linguistic Deficits in Adults Subsequent to Traumatic Brain Injury. *Traumatic Brain Injury: Associated Speech, Language, and Swallowing Disorders*. 2001:199-222.
21. Hinchliffe FJ, Murdoch B, Theodoros D. Treatment of Cognitive-Linguistic Communication Disorders Following Traumatic Brain Injury. *Traumatic Brain Injury: Associated Speech, Language, and Swallowing Disorders*. 2001:273-309.

22. Kerner MJ. Computer Delivery of Memory Retraining With Head Injured Patients. *Cognitive Rehabilitation*.1985:26-31.
23. Malec JF, Degiorgio L. Characteristics of Successful and Unsuccessful Completers of 3 Postacute Brain Injury Rehabilitation Pathways. *Arch Phys Med Rehabil*. 2002;83:1759-64.
24. Malec JF, Basford JS. Postacute Brain Injury Rehabilitation. *Arch Phys Med Rehabil*. 1996;77:198-207.
25. Metheny NA, Clouse RE. Bedside Methods for Detecting Aspiration in Tube-Fed Patients\*. *CHEST Journal*. 1997;111(3):724-731.
26. Miller M, Burnett D, McElligott JM et al., Congenital and Acquired Brain Injury. 31 Rehabilitation Interventions: Cognitive, Behavioral, and Community Reentry. *Arch Phys Med Rehab*. 2003;84 (Suppl):S12-17.
27. National Institutes of Health. Rehabilitation of Persons with Traumatic Brain Injury. *NIH Consensus Statement*. Oct. 26-28, 1998;16(1):1-14.  
[http://consensus.nih.gov/cons/109/109\\_statement.pdf](http://consensus.nih.gov/cons/109/109_statement.pdf) Assessed March 11, 2004.
28. National Institutes of Health. Consensus Development Panel. Rehabilitation of Persons with Traumatic Brain Injury. *JAMA*. 1999;282(10):974-82.
29. Niemann H, Ruff R, Baser C. Computer-Assisted Attention Retraining in Head-Injured Individuals: A Controlled Efficacy Study of an Outpatient Program. *Journal of Consulting and Clinical Psychology*.1990;58(6):811-817.
30. Novack T, Caldwell S et al., Focused versus Unstructured Intervention for Attention Deficits after Traumatic Brain Injury. *J Head Trauma Rehabil*.1996;11(3):52-60.
31. Ottenbacher KJ, Smith PM et al., Trends in Length of Stay, Living Setting, Functional Outcome, and Mortality Following Medical Rehabilitation. *JAMA*. 2004;292(14):1687-1696.
32. Palmese CA, Raskin SA. The rehabilitation of attention in individuals with mild traumatic brain injury, using the APT-II programme. *Brain Inj*. 2000;14(6):535-48. Abstract only.
33. Powell J, Heslin J et al., Community Based Rehabilitation after Severe Traumatic Brain Injury: A Randomized Controlled Trial. *J Neurol Neurosurg Psychiatry*. 2002;72:193-202.
34. Powell J, Temkin N et al., Nonrandomized Studies of Rehabilitation for Traumatic Brain Injury: Can They Determine Effectiveness? *Arch Phys Med Rehabil*. 2002;83:1235-1244.
35. Prigatano GP et al., Neuropsychological rehabilitation after closed head injury in young adults. *Journal of Neurology*. 1984;47:505-513.
36. Prigatano GP et al., Productivity after neuropsychologically oriented milieu rehabilitation. *J Head Trauma Rehabil*. 1994;9(1):91-102.
37. Ryan TV, Ruff RM. The Efficacy of Structured Memory Retraining in a Group Comparison of Head Trauma Patients. *Archives of Clinical Neuropsychology*. 1988; 3:165-179.
38. Salazar AM, Warden DL et al., Cognitive Rehabilitation for Traumatic Brain Injury. *JAMA*. 2000;283(23):3075-3081.
39. Schmitter-Edgecombe M et al., Memory Remediation after Severe Closed Head Injury: Notebook Training Versus Supportive Therapy. *Journal of Consulting and Clinical Psychology*. 1995;63(3):484-489.

40. Sohlberg M, Mateer C. Effectiveness of an Attention-Training Program\* *Journal of Clinical and Experimental Neuropsychology*.1987;9(2):117-130.
41. Strache W et al., Effectiveness of two modes of training to overcome deficits on concentration. *141-145*.
42. Technology Evaluation Center. Cognitive Rehabilitation for Traumatic Brain Injury in Adults. *Assessment Program*.2002;17(20):1-25.
43. Thomas-Stonell N et al., Evaluation of a computer-based program for remediation of cognitive-communication skills. *J Head Trauma Rehabil*.1994;9(4):25-37.
44. Turkstra LS, Holland AL et al., The Neuroscience of Recovery and Rehabilitation: What Have We Learned From Animal Research? *Arch Phys Med Rehabil*. 2003;24:604-612.
45. U.S. Dept. of Health and Human Services. Agency for Health Care Policy and Research. Rockville, MD. Rehabilitation for Traumatic Brain Injury: Evidence Report/Technology Assessment: December 1998. Number 2. *AHCPR Publication No. 99-E005*  
[www.ahrq.gov/clinic/tbisumm.htm](http://www.ahrq.gov/clinic/tbisumm.htm) Assessed February 18, 2004.
46. Von Cramon DY et al., Problem-solving Deficits in Brain-injured Patients; A Therapeutic Approach. *Neuropsychological Rehabilitation*. 1991;1(1):45-64.
47. Wade DT, King NS et al., Routine follow up after head injury: a second randomized controlled trial. *J Neurol Neurosurg Psychiatry*. 1998;65:177-183.
48. Walker JP. Functional outcome: a case for mild traumatic brain injury. *Brain Inj*. 2002;16(7):611-25. Abstract only.
49. Ward E, Morgan A. Dysphagia Following Traumatic Brain Injury in Adults and Children: Assessment and Characteristics. *Traumatic Brain Injury: Associated Speech, Language and Swallowing Disorders*. 2001:331-367.
50. Ward E, Morgan A. Rehabilitation of Dysphagia Following Traumatic Brain Injury. *Associated Speech, Language and Swallowing Disorders*. 2001:369-401.
51. Whyte J. Traumatic Brain Injury Rehabilitation: Are there Alternatives to Randomized Clinical Trials? *Arch Phys Med Rehabil*. 2002;83:1320-22.

## **RETURN TO WORK**

1. Brooks N, McKinlay W, Symington C et al., Return to Work within the First Seven Years of Severe Head Injury. *Brain Injury*. 1987;1(1):5-19.
2. Cantu RD. Recurrent athletic head injury: risks and when to retire. *Clin Sports Med*. 2003;22(3):593-603.
3. Collins MW et al., Relationship between Concussion and Psychological Performance in College Football Players. *JAMA*. 1999;282(10):964-970.
4. Drake AI, Gray N, Yoder S et al., Factors Predicting Return to Work Following Mild Traumatic Brain Injury: A Discriminate Analysis. *J Head Trauma Rehabil*. 2000;15(5):1103-12.
5. McCrea M, Guskiewicz K, Marshall S et al., Acute Effects and Recovery Time Following Concussion in Collegiate Football Players. *JAMA*.2003;290;(10):2556-2563.
6. McKeag D. Understanding Sports-Related Concussion. *JAMA*.2003;290;(19):2604-2605.
7. O'Connell M. Prediction of Return to Work Following Traumatic Brain Injury: Intellectual, Memory, and Demographic Variables. *Rehabilitation Psychology*. 2000.45(2):212-17.
8. Rao N, Kilgore KM. Predicting Return to Work in Traumatic Brain Injury Using Assessment Scales. *Arch Phys Med Rehabil*. 1992;73:911-16.

9. Wehman P, Kreutzer J, West M et al., Return to Work for Persons with Traumatic Brain Injury: A Supported Employment Approach. *Arch Phys Med Rehabil.*1990;71:1047-1052.
10. Wehman P, Sherron P et al., Return to Work for Persons Following Severe Traumatic Brain Injury. *Am J Phy Med Rehab.* 1993;72(6):355-363.
11. Yasuda S, Wehman P, Targett P et al., Return to Work for Persons with Traumatic Brain Injury. *Am J Phys Med Rehab.* 2001;80(11):852-64.

## **THERAPEUTIC PROCEDURES**

1. Bhandari M, Guyatt GH, Vikas K et al., Operative Management of Lower Extremity Fractures in Patients with Head Injuries. *Clinical Orthopaedics and Related Research.* 2003; 407:187-198.
2. Chung W, Cho D, Choi J et al., Clinical Usefulness of Extratympanic Electrocochleography in the Diagnosis of Meniere's Disease. *Otology & Neurology.* 2004;25:144-149.
3. Densert B, Sass K. Control of Symptoms in Patients with Meniere's Disease Using Middle Ear Pressure Applications: Two Years Follow-up. *Acta Otolaryngol.* 2001; 121:616-621.
4. Epley JM. The canalith repositioning procedure: For treatment of benign paroxysmal positional vertigo. *Otolaryngology Head and Neck Surgery.* 1992;107(3):399-404.
5. Gates G, Green J et al., The Effects of Transtympanic Micropressure Treatment in People with Unilateral Meniere's Disease. *Arch Otolaryngol Head Neck Surg.*2004;130:718-725.
6. Melamed E, Robinson D, Halperin N et al., Brain Injury-Related Heterotopic Bone Formation; *Amer J. Phys. Med Rehabil.* 2002;81(9):670-674.
7. Powell J, Chapman P. The Impact of Early Orthopedic Management on Patients with Traumatic Brain Injury. *J Head Trauma Rehabil.*1994;9(1):57-66.
8. Villavicencio A, Leveque J, McGirt M et al., Comparison of Revision Rates Following Endoscopically Versus Nonendoscopically Placed Ventricular Shunt Catheters. *Surg Neurol.* 2003;59:375-890.

## **VISUAL REHABILITATION**

1. America Optometric Association. Optometric Care of the Patient with Acquired Brain Injury.
2. Calvanio R, Williams R et al., Acquired Brain Injury, Visual Attention, and the Useful Field of View Test: A Pilot Study. *Arch Phys Med Rehabil.*2004;85:474-478.
3. Ciuffreda KJ, Suchoff IB et al., Normal Vision Function. Physiological Basis of Rehabilitation Medicine. 2001:241-261.
4. Ciuffreda KJ, Suchoff IB et al., Oculomotor Rehabilitation in Traumatic Brian-Injured Patients. *Journal of Behavioral Optometry.* 1996;7(2):31-38.
5. Cohen AH, Rein LD. The effect of head trauma on the visual system: The doctor of the optometry as a member of the rehabilitation team. *Journal of the American Optometric Association.* 1992.63(8):530-535.
6. Cooper JS, Burns CR et al., Optometric Clinical Practice Guideline Care of the Patient with Accomodative and Vergence Dysfunction. *American Optometric Association.*1998.

7. Dain SJ. Sunglasses and sunglass standards. *Clin Exp Optom.* 2003;86(2):77-90.
8. Freed S, Hellerstein L. Visual electrodiagnostic findings in mild traumatic brain injury. *Brain Injury.* 1997;11(1):25-36.
9. Gianutsos R, Suchoff I. Neuropsychological Consequences of Mild Brain Injury and Optometric Implications. *Journal of Behavioral Optometry.* 1998;9:1-3.
10. Gianutsos R, Ramsey G et al., Enabling Rehabilitation Optometrists to Help Survivors of Acquired Brain Injury. *Journal of Vision Rehabilitation.* 1988;1:37-58.
11. Gottlieb DD, Freeman P et al., Clinical research and statistical analysis of a visual field awareness system. *Journal of the American Optometric Association.* 1992;63(8):581-588.
12. Hellerstein LF, Freed S. Rehabilitative Optometric Management of a Traumatic Brain Injury Patient. *Journal of Behavioral Optometry.* 1994;5(6):143-148.
13. Hellerstein LF. Visual Problems Associated with Brain Injury. *Understanding and Managing Vision Deficits.* 2002:187-185.
14. Hellerstein LF. Visual Rehabilitation for Patients with Brain Injury. *Understanding and Managing Vision Deficits.* 2002:187-208.
15. Jackowski MM, Sturr JF et al., Photophobia in patients with traumatic brain injury: Uses of light-filtering devices to enhance contrast sensitivity and reading rate. *NeuroRehabilitation.* 1996;6:193-201.
16. Kapoor N, Ciuffreda K. Vision Disturbances Following Traumatic Brain Injury. *Neurologic Ophthalmology and Otolaryngology.* 2002;4:271-280.
17. Levin LA, Baker RS. Management of Traumatic Optic Neuropathy. *J Neuro-Ophthalmol.* 2003;23(1):72-75.
18. Ludlam WM. Rehabilitation of traumatic brain injury with associated visual dysfunction – A case report. *NeuroRehabilitation.* 1996;6:183-192.
19. Mark VW. Acute Versus Chronic Functional Aspects of Unilateral Spatial Neglect. *Frontiers in Bioscience.* 2003;8:172-189.
20. Padula WV, Argyris S. Post trauma vision syndrome and visual midline shift syndrome. *NeuroRehabilitation.* 1996:165-171.
21. Politzer TA. Case studies of a new approach using partial and selective occlusion for the clinical treatment of diplopia. *NeuroRehabilitation.* 1996;6:213-217.
22. Sabel BA. Residual vision and plasticity after visual system damage. *Restorative Neurology and Neuroscience.* 1999;15:73-79.
23. Sabel BA, Kasten E. Restoration of vision by training of residual functions. *Neuro-ophthalmology. Current Opinion in Ophthalmology.* 2000;11:430-436.
24. Suchoff IB, Gianutsos R et al., Vision Impairment Related to Acquired Brain Injury. *Lighthouse International.* 2000;27:517-539.
25. Suchoff IB, Gianutsos. Rehabilitative Optometric Interventions for the Adult with Acquired Brain Injury. *Blackwell Science.* 2000;33:608-621.
26. Suchoff IB, Kapoor N et al., The occurrence of ocular and visual dysfunctions in an acquired brain-injured patient sample. *Journal of the American Optometric Association.* 1999;70(5):301-308.
27. Suchoff IB, Ciuffreda KJ. A primer for the optometric management of unilateral spatial inattention. *Optometry.* 2004;75(5):305-318.
28. Weinberg J, Diller L et al., Visual Scanning Training Effect on Reading-Related Tasks in Acquired Right Brain Damage. *Arch Phys Med Rehabil.* 1977;58:479-486.

29. Weinberg J, Diller L et al., Training Sensory Awareness and Spatial Organization in People with Right Brain Damage. *Arch Phys Med Rehabil.* 1979;60:491-496.
30. Zoltan B. Vision, Perception and Cognition. A Manual for the Evaluation and Treatment of the Neurologically Impaired Adult. *3<sup>rd</sup> Edition*